





**UFB - UNDERFLOOR BLANK OFF  
NON-FLANGED**



**DETAIL A**

**NOTE:**



- NOMINAL SIZE (L X W) = ROUGH OPENING
- USE FOR 125/ 187 STYLE WITH LFT, LNT
- UFB WITH LFG INSTALLED IS DESIGNED TO WITHSTAND LIGHT FOOT TRAFFIC
- DROP-IN INSTALLATION FROM ABOVE FLOOR
- CONNECT TO THE PLENUM WITH CONNECTING PLATES (BY PRICE) AND SCREWS (BY OTHERS)
- SEALING AT JOINT LOCATIONS BY OTHERS
- MC90 SHIPPED IN TWO PIECES TO BE JOINED TOGETHER IN THE FIELD WITH CONNECTING PLATES

**CONSTRUCTION:**

- LENGTH = L
- WIDTH = W - 0.125" (3)
- 20 GAUGE STEEL CONSTRUCTION
- BLACK FINISH

**PEDESTAL SUPPORT BRACKETS:**

- PEDESTAL SUPPORT BRACKETS SUPPLIED BY PRICE
- PEDESTAL & PEDESTAL HEAD SUPPLIED BY OTHERS
- PEDESTAL SUPPORT BRACKETS INSTALLED BY OTHERS









**MC90 - 90° MITRED CORNER**


ALL METRIC DIMENSIONS ( ) ARE SOFT CONVERTED. IMPERIAL DIMENSIONS ARE CONVERTED TO METRIC AND ROUNDED TO THE NEAREST MILLIMETER.

<b>PROJECT:</b>		<b>PRICE</b>	
<b>ENGINEER:</b>		<i>PS</i>	<b>UFB</b>
<b>CUSTOMER:</b>		275049	<b>UNDERFLOOR BLANK OFF PEDESTAL SUPPORTED 125/ 187 STYLE</b>
<b>SUBMITTAL DATE:</b>	<b>SPEC. SYMBOL:</b>	2023-01-13	

**UFB - UNDERFLOOR BLANK OFF  
FLARED STYLE (FL)**



**MC90 - 90° MITRED CORNER**



**NOTE:**

- NOMINAL SIZE (L X W) = ROUGH OPENING
- UFB WITH RFG INSTALLED IS DESIGNED TO WITHSTAND LIGHT FOOT TRAFFIC
- DROP-IN INSTALLATION FROM ABOVE FLOOR
- CONNECT TO THE PLENUM WITH CONNECTING PLATES (BY PRICE) AND SCREWS (BY OTHERS)
- J EXTRUSIONS MOUNTED TO UFB AND FIELD CUT AS REQUIRED
- SEALING AT JOINT LOCATIONS BY OTHERS
- MC90 SHIPPED IN TWO PIECES TO BE JOINED TOGETHER IN THE FIELD WITH CONNECTING PLATES

**CONSTRUCTION:**

- LENGTH = L
- WIDTH = W - 0.125" (3)
- 20 GAUGE STEEL CONSTRUCTION
- BLACK FINISH

**PEDESTAL SUPPORT BRACKETS:**

- PEDESTAL SUPPORT BRACKETS SUPPLIED BY PRICE
- PEDESTAL & PEDESTAL HEAD SUPPLIED BY OTHERS
- PEDESTAL SUPPORT BRACKETS INSTALLED BY OTHERS


**FINISH:**

- B11 - BRIGHT WHITE
- B12 - STANDARD WHITE
- B13 - OFF-WHITE
- B15 - METALLIC GRAY
- B17 - BLACK
- B25 - CUSTOM MATCHED COLOR
- PC12 - PRIME COAT
- MILL - RAW ALUMINUM
- PA - REPAIRED ALUMINUM (MILL FINISH FACTORY CLEANED)
- AB - ANODIZED BLACK
- AC - ANODIZED CLEAR
- ALB - ANODIZED LIGHT BRONZE
- AMB - ANODIZED MEDIUM BRONZE
- ADB - ANODIZED DARK BRONZE
- ACH - CHAMPAGNE ANODIZED
- ASPL - SPECIAL ANODIZED COLOR OTHER THAN ABOVE
- SPL - SPECIAL TYPE OF PAINT (COLOR TO MATCH)

ALL METRIC DIMENSIONS ( ) ARE SOFT CONVERTED. IMPERIAL DIMENSIONS ARE CONVERTED TO METRIC AND ROUNDED TO THE NEAREST MILLIMETER.

<b>PROJECT:</b>		<b>PRICE</b>	
<b>ENGINEER:</b>		<i>PS</i>	<b>UFB</b>
<b>CUSTOMER:</b>		274676	<b>UNDERFLOOR BLANK OFF PEDESTAL SUPPORTED FLARED STYLE</b>
<b>SUBMITTAL DATE:</b>	<b>SPEC. SYMBOL:</b>	2023-01-13	

**UFB - UNDERFLOOR BLANK OFF  
FLANGED PLENUM**



DETAIL A

**NOTE:**

- NOMINAL SIZE (L X W) = ROUGH OPENING
- UFB WITH LFG INSTALLED IS DESIGNED TO WITHSTAND LIGHT FOOT TRAFFIC
- DROP - IN INSTALLATION FROM ABOVE FLOOR
- CONNECT TO THE PLENUM WITH CONNECTING PLATES (BY PRICE) AND SCREWS (BY OTHERS)
- SEALING AT JOINT LOCATIONS BY OTHERS
- MC90 SHIPPED IN TWO PIECES TO BE JOINED TOGETHER IN THE FIELD WITH CONNECTING PLATES

**CONSTRUCTION:**

- LENGTH = L
- WIDTH = W - 0.125" (3)
- 20 GAUGE STEEL CONSTRUCTION
- BLACK FINISH

**PEDESTAL BRACKETS OPTION:**





- PEDESTAL SUPPORT BRACKETS SUPPLIED BY PRICE
- PEDESTAL & PEDESTAL HEAD SUPPLIED BY OTHERS
- PEDESTAL SUPPORT BRACKETS INSTALLED BY OTHERS

**MC90 - 90° MITRED CORNER**

ALL METRIC DIMENSIONS ( ) ARE SOFT CONVERTED. IMPERIAL DIMENSIONS ARE CONVERTED TO METRIC AND ROUNDED TO THE NEAREST MILLIMETER.

<b>PROJECT:</b>		<b>PRICE</b>	
<b>ENGINEER:</b>		<i>PS</i>	<b>UFB</b>
<b>CUSTOMER:</b>		269683	UNDERFLOOR BLANK OFF FLOOR TILE SUPPORTED 1000 STYLE
<b>SUBMITTAL DATE:</b>	<b>SPEC. SYMBOL:</b>	2023-01-13	

**UFB - UNDERFLOOR BLANK OFF  
PEDESTAL SUPPORTED**



**DETAIL A**

**NOTE:**


- NOMINAL SIZE (L X W) = ROUGH OPENING
- USE FOR 125/ 187 STYLE WITH LPT, LFP
- UFB WITH LFG INSTALLED IS DESIGNED TO WITHSTAND LIGHT FOOT TRAFFIC
- DROP-IN INSTALLATION FROM ABOVE FLOOR
- CONNECT TO THE PLENUM WITH CONNECTING PLATES (BY PRICE) AND SCREWS (BY OTHERS)
- SEALING AT JOINT LOCATIONS BY OTHERS
- MC90 SHIPPED IN TWO PIECES TO BE JOINED TOGETHER IN THE FIELD WITH CONNECTING PLATES

**CONSTRUCTION:**

- LENGTH = L
- WIDTH = W - 0.125" (3)
- 20 GAUGE STEEL CONSTRUCTION
- BLACK FINISH

**PEDESTAL SUPPORT BRACKETS:**

- PEDESTAL SUPPORT BRACKETS SUPPLIED BY PRICE
- PEDESTAL & PEDESTAL HEAD SUPPLIED BY OTHERS
- PEDESTAL SUPPORT BRACKETS INSTALLED BY OTHERS



**MC90 - 90° MITRED CORNER**

ALL METRIC DIMENSIONS ( ) ARE SOFT CONVERTED. IMPERIAL DIMENSIONS ARE CONVERTED TO METRIC AND ROUNDED TO THE NEAREST MILLIMETER.

<b>PROJECT:</b>		<b>PRICE</b>	
<b>ENGINEER:</b>		<i>PS</i>	<b>UFB</b> UNDERFLOOR BLANK OFF PEDESTAL SUPPORTED 125/ 187 STYLE
<b>CUSTOMER:</b>			
<b>SUBMITTAL DATE:</b>	<b>SPEC. SYMBOL:</b>	2023-01-13	