


# HGMF



## HOSPITAL GRADE MOUNTING FRAME

### ALUMINUM - ALL DIFFUSERS

LFDC SHOWN FOR REFERENCE ONLY



LENGTH (MAXIMUM)	WIDTH (MAXIMUM)	LENGTH (MINIMUM)	WIDTH (MINIMUM)
1800	1200	230	230
NOMINAL SIZING (METRIC (mm))			
72.000	48.000	9.000	9.000
LENGTH (MAXIMUM)	WIDTH (MAXIMUM)	LENGTH (MINIMUM)	WIDTH (MINIMUM)
NOMINAL SIZING (IMPERIAL (in))			



CORNER DETAIL VIEW

#### STANDARD CONSTRUCTION

- HEAVY DUTY EXTRUDED ALUMINUM TEES WITH FACTORY APPLIED POLYETHYLENE GASKET
- TEES FACTORY PUNCHED EVERY 6" ON CENTER FOR HANGER WIRE (HANGER WIRE SUPPLIED BY OTHERS)
- FACTORY WELDED CORNERS, SHIPS IN SINGLE FACTORY WELDED ASSEMBLY
- FACTORY TOLERANCE +/- 1/32" [1]

#### FRAME FINISH

- B12 STANDARD WHITE (OPTIONAL FINISH AVAILABLE)

**PRICE** | CRITICAL ENVIRONMENTS

PROJECT:

271137


Revision: D

9/3/2025



# HGMF

## HOSPITAL GRADE MOUNTING FRAME STAINLESS STEEL - FILTERED DIFFUSERS

LFDC SHOWN FOR REFERENCE ONLY



LENGTH (MAXIMUM)	WIDTH (MAXIMUM)	LENGTH (MINIMUM)	WIDTH (MINIMUM)
1200	1200	230	230
NOMINAL SIZING (METRIC (mm))			
48.000	48.000	9.000	9.000
LENGTH (MAXIMUM)	WIDTH (MAXIMUM)	LENGTH (MINIMUM)	WIDTH (MINIMUM)
NOMINAL SIZING (IMPERIAL (in))			



CORNER DETAIL VIEW

### STANDARD CONSTRUCTION

- 304 STAINLESS STEEL SHEET METAL FORMED FRAMES WITH FACTORY APPLIED POLYETHYLENE GASKET
- TEES FACTORY LASERED EVERY 6" ON CENTER FOR HANGER WIRE (HANGER WIRE SUPPLIED BY OTHERS)
- FACTORY WELDED CORNERS, SHIPS IN SINGLE FACTORY WELDED ASSEMBLY
- FACTORY TOLERANCE +/- 1/32" [1]

### FRAME FINISH

- #4 BRUSHED STAINLESS STEEL
- B12 STANDARD WHITE (OPTIONAL FINISH AVAILABLE)


MODELS (NON-FLANGED ONLY)	AMDC-1-X, FFU-X-X, FRFDC-1-X, LFDC-1-X, PURAFLO-1-X, RFDC-1-X, RVDC-1-X, UFFU-1-X, ULFD-1-X
---------------------------	---

<b>PRICE</b>   CRITICAL ENVIRONMENTS		
PROJECT:		
271137	Revision: D	9/3/2025



# HGMF

## HOSPITAL GRADE MOUNTING FRAME STAINLESS STEEL - NON-FILTERED DIFFUSERS

LFD SHOWN FOR REFERENCE ONLY



1200	1200	230	230
<b>LENGTH (MAXIMUM)</b>	<b>WIDTH (MAXIMUM)</b>	<b>LENGTH (MINIMUM)</b>	<b>WIDTH (MINIMUM)</b>
<b>NOMINAL SIZING (METRIC (mm))</b>			
48.000	48.000	9.000	9.000
<b>LENGTH (MAXIMUM)</b>	<b>WIDTH (MAXIMUM)</b>	<b>LENGTH (MINIMUM)</b>	<b>WIDTH (MINIMUM)</b>
<b>NOMINAL SIZING (IMPERIAL (in))</b>			



CORNER DETAIL VIEW

**STANDARD CONSTRUCTION**

- 304 STAINLESS STEEL SHEET METAL FORMED FRAMES WITH FACTORY APPLIED POLYETHYLENE GASKET
- TEES FACTORY LASERED EVERY 6" ON CENTER FOR HANGER WIRE (HANGER WIRE SUPPLIED BY OTHERS)
- FACTORY WELDED CORNERS, SHIPS IN SINGLE FACTORY WELDED ASSEMBLY
- FACTORY TOLERANCE +/- 1/32" [1]

**FRAME FINISH**

- #4 BRUSHED STAINLESS STEEL
- B12 STANDARD WHITE  
(OPTIONAL FINISH AVAILABLE)

MODEL (FLANGED ONLY)	FRFD-1-X, HCF-1-X, LFD-1-X, LFD3-1-X, RAVD-1-X, RFD-1-X
-------------------------	--

<b>PRICE   CRITICAL ENVIRONMENTS</b>		
PROJECT:		
271137	Revision: D	9/3/2025